

3054 Homestead Drive Erosion Threshold Assessment


Hamilton, Ontario



Prepared for:
Fengate Homestead Holdings LP
2275 Upper Middle Road East, Suite 700
Oakville, ON L6H 0C3

January 26, 2023
PN22063





Report Prepared by: GEO Morphix Ltd.
36 Main Street North
PO Box 205
Campbellville, ON L0P 1B0

Report Title: 3054 Homestead Drive Erosion Threshold Assessment
Hamilton, Ontario

Project Number: PN22063
Status: Final
Version: 1.0
Submission Date: January 26, 2023

Prepared by: John Tweedie, M.Sc. and Matilda Oja, M.Sc.

Approved by: Paul Villard, Ph.D., P.Geo., CAN-CISEC, EP, CERP




Table of Contents

1	Introduction.....	1
2	Background Review	1
	2.1 Watershed Characteristics	1
	2.2 Surficial Geology and Physiography.....	2
	2.3 Historical Assessment	2
3	Watercourse Characteristics.....	3
	3.1 Reach Delineation.....	3
	3.2 General Reach Observations	3
	3.3 Rapid Field Assessments.....	5
	3.4 Detailed Geomorphological Assessment.....	6
4	Erosion Threshold Assessment	7
	4.1 Methodology	7
	4.2 Results.....	8
5	Summary and Conclusions.....	9
6	References	11

List of Tables

Table 1: General Reach Observation Summary	4
Table 2: Reach Classification Summary.....	6
Table 3: Reach H1S3 detailed assessment and erosion threshold analysis results	9

Appendices

Appendix A Historical Aerial Photographs	A
Appendix B Reach Delineation	B
Appendix C Photographic Record	C
Appendix D Field Observations.....	D
Appendix E Detailed Assessment Summary	E



1 Introduction

GEO Morphix Ltd. (GEO Morphix) was retained by Fengate Homestead Holdings LP to complete a fluvial geomorphology assessment and erosion threshold analysis in support of the proposed development located at 3054 Homestead Drive ("Subject Property") in the City of Hamilton, Ontario. The subject property is located immediately west of the Hamilton Airport, and east of Homestead Drive within the Airport Employment Growth District (AEGD). The development site is located within the jurisdiction of Niagara Peninsula Conservation Authority (NPCA). It is understood that stormwater management (SWM) outflows from two outlet structures will be discharged into a small headwater channel within the subject property, which eventually flows into Twenty Mile Creek.

The following activities were completed as part of the fluvial geomorphological assessment and erosion threshold analysis:


- Review topographic and geologic maps and previously completed reporting to inform field reconnaissance efforts and provide contextual information for existing conditions characterizations
- Complete a historical site assessment using aerial photograph records to identify changes to the system due to land use and past channel modifications within the primary and extended study areas
- Delineate watercourse reaches along the receiving watercourses through a desktop exercise
- Conduct field reconnaissance to document reach-scale observations of channel substrate, flow behaviour, geomorphological processes, locations of valley wall contacts, and areas of active erosion
- Complete reach-level rapid assessments at each outlet channel using standard accepted techniques for geomorphological assessments to characterize channel conditions, stability, and erosion sensitivity
- Complete a detailed geomorphological field assessment, the primary objective of which is to determine bankfull channel conditions and inform the determination of critical discharge erosion thresholds
- Determine an erosion threshold, expressed as a critical discharge, for the most erosion-sensitive channel reach along the receiving watercourse within the immediate zone of impact associated with the proposed development

2 Background Review

A review of pertinent background material was completed to inform and provide contextual information regarding local hydrology and stream morphology. Material reviewed included site plans, historical aerial photographs, published surficial geological mapping, physiological region and landform mapping, and various relevant background reporting documents.

2.1 Watershed Characteristics

The majority of subject property is located within the headwaters of the Twenty Mile Creek subwatershed, which encompasses a drainage area of approximately 291 km². Landuse within this subwatershed is predominantly comprised of rural and agricultural lands (Durley, 2006). The headwaters located on the subject property are associated with Three Mile Creek, a watercourse that drains eastward into Twenty Mile Creek, south of Dickenson Road E, east of Miles Road, approximately 4 kilometres from the subject property.



The remaining portion of the property resides within the Upper Welland River watershed. This watershed drains approximately 480 km² of land and contains nearly 3000 km of stream channels (NPCA, 2011). Approximately 55% of this channel length contains some level of riparian vegetation and habitat. Landuse within this watershed is similarly comprised of mostly rural and agricultural lands, with occasional pockets of low-density urban development, such as Mt. Hope.

2.2 Surficial Geology and Physiography

Surficial geology and physiography act as primary controls regarding channel development, as they greatly influence the hydrological and sediment characteristics of a given drainage system. Channel morphodynamics are largely governed by the flow regime and the availability and type of sediments within the stream corridor. These factors are explored as they not only offer insight into existing conditions, but also potential changes that could be expected in the future as they relate to a proposed activity.

The study area resides within the Haldimand Clay Plain physiographic region, which extends south from the Niagara escarpment to the north shore of Lake Erie. The region is characterized by a series of parallel recessional moraines comprised of sand and gravel with intervening troughs of silt and clay that control and occasionally impede local drainage. Soils in this region tend to exhibit a heavy texture with poor, uneven drainage (Chapman and Putnam, 1984). Published surficial geology mapping indicates the subject property has fine-textured sediment deposits described as massive-to well laminated and comprised primarily of silt and clays, as well as minor sands and gravels from glaciolacustrine origin (OGS, 2010).


2.3 Historical Assessment

A series of historical aerial photographs were reviewed to determine changes to the channel and surrounding land use and land cover. This information, in part, provides an understanding of the historical factors that have contributed to current channel morphodynamics and is used to inform erosion hazard assessments. Aerial photographs for the years 1934, 1950, 1963, 1969, 1978 and 1985 from the National Air Photo Library, and years 2005, 2012, 2014, 2017, 2018 and 2021 from Google Earth Pro, were reviewed. Select imagery is provided in **Appendix A** for reference.

The subject property and surrounding areas were actively cultivated prior to 1934. Landuse consisted primarily of agricultural areas with residential development along the intersection of Homestead Drive and Airport Road. At this time, all main roads were established. Headwater tributaries present within the subject property appear to be draining agricultural fields across Homestead Drive, into Three Mile Creek. No riparian vegetation is evident.

Between 1934 and 1950, the Hamilton Airport began construction adjacent to the subject property. One headwater Tributary of Three Mile Creek, in the northeast portion of the subject property, appears to be more defined while exhibiting low sinuosity. By 1963, the construction of the Hamilton Airport was completed, upper James Street was constructed, and more housing development along Homestead Drive is evident. There are no changes to the headwater features. Between 1969 and 1978, no major changes in landuse or headwater features occur.

By 2005, a subdivision to the south of Airport Road, west of Homestead Drive/Upper James Street was constructed. The Hamilton Airport was expanded towards Homestead Drive by approximately 200 m, encroaching on the subject property. Willow Valley Golf Course was constructed within this time period. The primary landuse continues to remain dominated by agricultural landscapes. Minor riparian vegetation along the headwater drainage features begins to establish itself within the study site.



Between 2005 and 2009 a distinct riparian vegetation buffer (approximately 17 m wide) is evident along all headwater tributaries within, and near by the subject property. With the exception of the beginning stages of an Amazon facility being constructed, minor changes in landuse and headwater features are evident between 2009 and 2013. Between 2018 and 2021, the Amazon facility finished construction. No other changes are noted in landuse and headwater features between 2013 and 2021. No changes in landuse or headwater features draining to Three Mile Creek occur downstream of the subject property during the reviewed time period.

3 Watercourse Characteristics

3.1 Reach Delineation

Reaches are homogeneous segments of channel used in geomorphological investigations. Reaches are studied semi-independently as each is expected to function in a manner that is at least slightly different from adjoining reaches. This method allows for a meaningful characterization of a watercourse as the aggregate of reaches, or an understanding of a particular reach, for example, as it relates to a proposed activity. Reaches are typically delineated based on changes in the following:

- Channel planform
- Channel gradient
- Physiography
- Land cover (land use or vegetation)
- Flow, due to tributary inputs
- Soil type and surficial geology
- Historical channel modifications

Reach delineation follows scientifically defensible methodology proposed by Montgomery and Buffington (1997), the Toronto and Region Conservation Authority (2004) and others. Several watercourse reaches were delineated within the immediate zone of impact associated with each SWM facility based on a desktop assessment of available data (e.g., MNR stream layer, surficial geology, historical and recent aerial photographs, topographic data).

Reach delineation was adopted and extrapolated from existing reach mapping provided by GEI Consultants (2022). A total of three reaches were identified within the subject property with an additional two reaches existing downstream along the receiving watercourse. The reaches within the subject property are classified as headwater drainage features, while the two downstream reaches are defined channels. Reach mapping is provided in **Appendix B**, for reference.

3.2 General Reach Observations

A site visit was completed by GEO Morphix Ltd. on July 27, 2022, to document existing channel conditions along the receiving watercourse, downstream of the proposed SWM outlets. Photographs of site conditions are provided in **Appendix C** and field observations are included in **Appendix D**, for reference.

The site visits included the following activities and reach observations:

- Habitat sketch maps based on Newson and Newson (2000) outlining channel substrate, flow patterns, geomorphological units (e.g., riffle, run, pool), and riparian vegetation for the extent of each reach assessed


- Descriptions of riparian conditions
- Documentation of culvert crossing conditions
- Estimates of bankfull channel dimensions
- Bed and bank material composition and structure
- Observations of erosion, scour or deposition
- Collection of photographs to document the watercourses, riparian areas and/or valley, surrounding land use, and channel disturbances such as crossing structures
- Completion of rapid channel assessments following the Rapid Geomorphological Assessment (RGA) (MOE, 2003; VANR, 2007) and Rapid Stream Assessment Technique (RSAT) (Galli, 1996) methodologies

General channel characteristics for all assessed reaches are summarized below in **Table 1**. Reaches **H1S1A** and **H2S1** were excluded from the observations, as they are not within the zone of impact associated with the SWM flows and are consequently irrelevant to the erosion assessment.

Table 1: General Reach Observation Summary

Reach Name	Avg. Bankfull Width (m)	Avg. Bankfull Depth (m)	Riffle Substrate	Pool Substrate	Dominant Riparian Condition	Notes
H1S1	0.91	0.17	Clay/silt, trace sand	Clay/silt, trace sand	Continuous grasses, occasional trees, cattails	<ul style="list-style-type: none"> ◦ Grassy swale drainage feature with limited channel definition ◦ Minimal geomorphic activity observed ◦ Extensive cattail and grass encroachment ◦ Flows exit through stable culvert @ d/s end, 0.90 m diameter ◦ Channel dry during assessment
H1S2	1.53	0.31	Clay/silt, trace sand	Clay/silt, trace sand	Grasses, cattails, fragmented trees	<ul style="list-style-type: none"> ◦ Straightened/modified feature – roadside ditch ◦ Intermittent channel definition ◦ Minimal geomorphic activity ◦ Heavy cattail encroachment
H1S3	1.61	0.39	Clay/silt, sand, gravel	Clay/silt, trace sand	Grasses, trees, cattails	<ul style="list-style-type: none"> ◦ Bank erosion and exposed bank material prevalent ◦ Exposed length of pipe and wiring observed ◦ Straightened in upstream extent with some cobble armouring

Reach **H1S1** is an unconfined and relatively poorly defined channel that flows east through the subject lands. Minimal geomorphic activity was observed throughout the entire length of the reach. The riparian zone is characterized by extensive cattails and grasses, which encroach upon the channel bed frequently. The bed and bank materials are generally consistent with one another and are comprised by silt and clay with trace amounts of sand. The average bankfull width and depth are 0.91 m and 0.17 m, respectively. Flows exit the reach through a stable 0.90 m diameter



culvert that passes beneath Homestead Dr and Upper James St. The channel was dry during the time of assessment.

Reach **H1S2** begins on the east side of Upper James St and flows north along the side of the road before veering to the east. The channel here is similarly poorly defined in areas but exhibits occasional sections of defined channel. The reach was likely straightened and modified previously as part of the road works. As such, minimal ongoing geomorphic activity was noted throughout the reach. Much of the reach is encroached heavily by cattails, which also occupy the majority of the riparian zone. Minor iron staining was observed and provides evidence of groundwater inputs. The average bankfull width and depth are 1.63 m and 0.31 m, respectively. Flows exit the reach through a small culvert that directs flows beneath a service road associated with the adjacent sod farm.

Reach **H1S3** is an approximately 95 m length of channel that flows northeast towards Willow Valley Golf Course. Flows from **H1S3** exit into an east-flowing lower-order tributary of Twenty Mile Creek. The channel within **H1S3** is constricted by two paved lots associated with the adjacent sod farm and exhibits a meandering planform that frequently contacts and erodes the bounding valley walls. Bed materials range from loose, silty clay deposits within pools to gravels within the riffles. Banks are comprised of a firm silty loam, which is increasingly compact towards the toe of the bank slopes. Riparian vegetation is fairly limited and consists of grasses, cattails, and occasional mature trees. The average bankfull width and depth are 1.61 m and 0.39 m, respectively. Flows during the day of assessment were present, but mostly imperceptible.

3.3 Rapid Field Assessments

Channel stability and susceptibility to erosion were objectively assessed through the application of the Ontario Ministry of the Environment (MOE; 2003) Rapid Geomorphic Assessment (RGA) technique. The RGA evaluates degradation, aggradation, widening, and planimetric form adjustment at the reach scale. The purpose of the RGA is to produce a score, or stability index, which evaluates the degree to which a stream has departed from its equilibrium condition. A stream with a score of less than 0.20 is in regime, indicating minimal changes to its shape or processes over time. A score of 0.21 to 0.40 indicates that a stream is in transition or stress and is experiencing major changes to process and form outside the natural range of variability. A score of greater than 0.41 indicates that a stream is in extreme adjustment, exhibiting a new stream type, or in the process of adjusting to a new equilibrium (MOE, 2003; VANR, 2007).

The Rapid Stream Assessment Technique (RSAT) was also employed to provide a broader view of the system and consider the ecological functioning of the watercourse (Galli, 1996). Observations were made of channel stability, channel scouring or sediment deposition, instream and riparian habitats, and water quality. The RSAT score ranks the channel as maintaining a poor (<13), fair (13-24), good (25-34), or excellent (35-42) degree of stream health.

The reaches were also classified according to the Downs (1995) Model of Channel Evolution and the River Styles Framework (Brierley and Fryirs, 2005). The Downs (1995) model describes successional stages of a channel as a result of a perturbation, namely hydromodification. Understanding the current stage of the system is beneficial as this allows one to predict how the channel will continue to evolve or respond to an alteration to the system. The River Styles Framework provides a geomorphological approach to examining river character, behaviour, condition, and recovery potential.

Rapid assessments were completed during the site visit on July 27, 2022. Photographs of channel conditions for all reaches are provided in **Appendix C** and field observations are included in

Appendix D, for reference. **Table 2**, below, summarizes the results of the rapid field assessments.

Table 2: Reach Classification Summary

Reach Name	RGA Score	Dominant Process	RSAT Score	Downs Model Classification	River Styles Framework
H1S1	0.19 "In Regime"	Planimetric Adjustment	n/a – dry channel	S - Stable	Suspended load meandering/anastomosing
H1S2	0.19 "In Regime"	Planimetric Adjustment	23 "Fair"	R - Recovering	Suspended load straight
H1S3	0.26 "In Transition/Stress"	Aggradation	25 "Good"	R - Recovering	Mixed load meandering


Reach **H1S1** scored 0.19 on the rapid geomorphic assessment, indicating stable channel conditions. Some level of planimetric adjustment was observed, as evidenced by the multiple threaded channel and presence of chutes. The RSAT was not applicable to reach **H1S1**, as the entire length of channel was dry during the time of assessment. The channel was classified as stable under the Downs (1995) model, and was characterized as a suspended load-dominated meandering and anastomosing channel under the River Styles Framework (Brierley and Fryirs, 2005).

Similar to reach **H1S1**, reach **H1S2** scored 0.19 on the RGA with planimetric adjustment identified as the dominant geomorphic process. The RSAT score was 23, indicating fair conditions of channel stability and physical instream habitat. Riparian conditions were a limiting factor regarding the RSAT score. The channel was classified as a recovering channel under the Downs (1995) model, as the channel was previously straightened and is currently redeveloping a meandering planform. The reach was classified as a suspended load-dominated straight channel.

Reach **H1S3** scored 0.26 on the RGA, indicating a channel currently in transition or stress and consequently experiencing non-natural changes to its forms and processes. The dominant process was identified as aggradation, but evidence of channel widening and degradation was also present. The reach has a good level of stream habitat availability and channel stability, as the RSAT score was 25. Similar to reach **H1S2**, reach **H1S3** was classified as a recovering channel under the Downs (1995) model. The reach was classified as a mixed load meandering channel under the River Styles Framework (Brierley and Fryirs, 2005).

3.4 Detailed Geomorphological Assessment

A detailed geomorphological assessment was completed for reach **H1S3** during the site visit on July 27, 2022. This assessment provided bankfull channel characteristics, including cross-sectional geometry and hydraulics, for the purpose of defining the erosion threshold. Reach **H1S3** was selected based on field observations, as confirmed by both the RGA and RSAT, which showed this channel was most susceptible to erosion. Representative cross sections were surveyed, and a modified Wolman (1954) pebble count was completed, where applicable, to characterize the bed materials. Sediment sampled for bank materials was reviewed and analyzed. A longitudinal survey



of the bed was also completed to determine slope. Photographs of channel conditions are provided in **Appendix C** and a comprehensive summary of the channel measurements is included in **Appendix E**, for reference. A tabular summary of channel measurements is also presented in **Table 3**, within **Section 4.2**.

4 Erosion Threshold Assessment

Erosion thresholds are used to determine the magnitude of flow required to potentially entrain and transport bed and/or bank material. As such, they are used to inform erosion mitigation strategies in channels influenced by conceptual flow and stormwater management plans. Erosion thresholds were modelled from detailed field observations of reach **H1S3**. This reach was selected for the assessment, as it was determined to be the most erosion-sensitive reach within the immediate zone of impact associated with the SWM outlets within the development. The erosion threshold is the theoretical point, typically expressed as a critical discharge or shear stress, at which entrainment of sediment would occur based on bed and bank materials. Due to variability between bed and bank composition and structure, erosion thresholds are determined for both bed and bank materials. The lower of the bed and bank erosion thresholds is adopted, as it provides the more conservative and limiting estimate.

4.1 Methodology

Threshold targets are determined using different methods that are dependent on channel and sediment characteristics. For example, thresholds for non-cohesive sediments are commonly estimated using a shear stress approach, similar to that of Miller et al. (1977), which is based on a modified Shield's curve. A velocity approach could also be applied. For cohesive materials, a method such as that described by Komar (1987), or empirically derived values such as those compiled by Fischenich (2001), Chow (1959) or Julien (1994), could be applied.

An erosion threshold is quantified based on the bed and bank materials and local channel geometry, in the form of a critical discharge. Theoretically, above this discharge, entrainment and transport of sediment can occur. To determine this discharge, the velocity, U , or Shear Stress, t , is calculated at various depths for a representative cross section until the average velocity or shear stress in slightly exceeds the critical threshold of the bed material. The velocity is determined using a Manning's approach, where the Manning's n value is visually estimated through a method described by Acrement and Schneider (1989) or calculated using the Limerino (1970) approach. A Manning's n value of 0.042 was used for the assessment. The velocity is mathematically represented as:


$$U = \frac{1}{n} d^{2/3} S^{1/2} \quad [\text{Eq. 1}]$$

where, d is depth of water, S is channel slope, and n is the Manning's roughness.

The shear stress is determined using the depth-slope product, which can be applied to the bed of open channels containing fluid undergoing steady flows. The shear stress is mathematically represented as:

$$t = \rho g S_{bed} d \quad [\text{Eq. 2}]$$

Where, t is shear stress, d is the water depth, ρ is water density, g is acceleration due to gravity, and S_{bed} is the channel bed slope.



Because only 75% of bed shear stress and velocities applies to channel banks in uniform cross sections (Chow, 1959), the erosion threshold is scaled appropriately for these materials.

4.2 Results

Analysis of the bank materials within reach **H1S3** showed they were composed of a compact silty loam using the criteria of Fischenich (2001). Based on the type of material observed, a critical velocity approach was taken using the criteria of Fischenich (2001) for the silty loam bank material, a somewhat cohesive material with high silt and clay content. This material is estimated to have a critical velocity of 0.53 m/s, which was used to determine the material's threshold discharge, the point at which sediment entrainment begins to occur. In this instance, the critical discharge for the bank materials was predicted to be 0.145 m³/s. A Manning's roughness value of 0.046 was adopted for the critical discharge calculations, based on the framework described by Acrement and Schneider (1989).

The bed material within reach **H1S3** ranged from loose silty clays to large gravels. The D₈₄ grain size of the bed materials within reach **H1S3** were determined to be pebble-sized gravels (12.7 mm) according to the Wentworth scale (Wentworth, 1922), and represents the dominant materials found within the riffles. Using the methods described by Miller et al. (1977), this material is predicted to have a permissible velocity of 0.64 m/s. The loose silty clays that occupied the remaining pool and run geomorphic units were classified as alluvial silt under the framework described by Fischenich (2001), as has a permissible velocity of 0.61 m/s. The 0.61 m/s value was selected as the limiting criteria for the bed material and was used to determine the critical discharge, which in this case was 0.078 m³/s.

The results of the erosion threshold assessment are provided in Error! Reference source not found., below. The final, modelled erosion threshold is the lesser of the bed and bank materials, and in this instance was determined to be 0.078 m³/s for the bed materials. This threshold was modelled from data collected at the receiving reach that is most sensitive to erosion and is considered conservative.


Table 3: Reach H1S3 detailed assessment and erosion threshold analysis results

Channel parameter	Results by Reach
	H1S3
Bankfull Conditions	
Average bankfull width (m)	1.61
Average bankfull depth (m)	0.39
Channel gradient (%)	1.58
D ₅₀ (mm)	<2.0
D ₈₄ (mm)	12.65
Manning's n roughness coefficient	0.046
Bankfull discharge (m ³ /s)	0.35
Bankfull velocity (m/s)	0.92
Channel Bed Erosion Threshold	
Bed Material	Alluvial Silt (Fischenich, 2001)
Critical velocity at the bed (m/s)	0.61
Apparent shear stress acting on bed (N/m ²)	20.87
Critical discharge (m ³ /s)	0.078
Channel Banks Erosion Threshold	
Bank Material	Silty Loam (Fischenich, 2001)
Critical velocity at the banks (m/s)	0.53
Apparent shear stress acting on banks (N/m ²)	19.09
Critical discharge (m ³ /s)	0.145
Limiting critical discharge (m³/s)	0.078
Unitary erosion threshold* (m³/s/ha)	0.0030

* Determined using a 48.2 ha drainage area obtained from the Ontario Watershed Information Tool (OWIT)

5 Summary and Conclusions

GEO Morphix Ltd. was retained by Fengate Homestead Holdings LP to complete a fluvial geomorphic and erosion threshold assessment in support of proposed development at 3054 Homestead Dr, Hamilton, Ontario. This report summarizes the existing geomorphic conditions of the receiving channel system and provides an erosion threshold for the most erosion-sensitive channel reach.



Activities completed for the assessment included a detailed desktop review of available geology, topography, drainage area characteristics, and watercourse reach delineation. General channel observations, rapid stream assessments, and rapid geomorphological assessments for all reaches downstream of the proposed SWM outlet were completed during a site visit on July 27, 2022. These assessments documented existing channel and culvert crossing characteristics and assessed relative erosion-sensitivity of each channel reach. The results of the rapid assessments informed the location of the detailed geomorphological assessment, which was completed at reach **H1S3** during the same field visit.

The results of the detailed geomorphological assessment provided information relevant to the erosion threshold analysis. An erosion threshold, expressed as a critical discharge was determined for both the bed and bank materials within reach **H1S3**. The reach was erosion-limited by the loose silty bed material that occupied most pool and run morphological units within the reach, and the resulting erosion threshold was determined to be 0.078 m³/s. Using the Ontario Watershed Information Tool, a 48.2 ha pre-development drainage area was determined and used to calculate the unitary erosion threshold of 0.0030 m³/s/ha. This unitary value provides guidance for defining SWM release rates and developing an appropriate erosion mitigation strategy for the 3054 Homestead Drive development.

We trust this report meets your requirements at the time. Should you have any questions please contact the undersigned.

Respectfully submitted,



Paul Villard Ph.D., P.Geo., CAN-CISEC, EP, CERP
Director, Principal Geomorphologist




John Tweedie, M.Sc.
Watershed Scientist



6 References

- Acrement, G.J. and Schneider, V.R. 1989. Guide for Selecting Manning's Roughness Coefficients for Natural Channels and Floodplains. U.S. Geological Survey Water-Supply Paper 2339. United States Government Printing Office.
- Brierley, G. J. and Fryirs, K. A. 2005. *Geomorphology and River Management: Applications of the River Styles Framework*. Blackwell Publishing, Oxford, UK, 398pp. ISBN 1-4051-1516-5.
- Chapman, L.J., and Putnam, D.F. 1984: *Physiography of Southern Ontario, Second Edition*. Ontario Research Foundation, Toronto, ON.
- Chow, V.T. 1959. *Open channel hydraulics*. McGraw Hill, New York.
- Downs, P.W. 1995. Estimating the probability of river channel adjustment. *Earth Surface Processes and Landforms*, 20: 687-705.
- Durley, J. 2006. *Twenty Mile Creek Watershed Plan*. Niagara Peninsula Conservation Authority.
- Fischenich, C. 2001. *Stability Thresholds for Stream Restoration Materials*. EMRRP Technical Notes Collection (ERDC TN-EMRRP-SR-29), U.S. Army Engineer Research and Development Center, Vicksburg, MS.
- Galli, J. 1996. *Rapid Stream Assessment Technique, Field Methods*. Metropolitan Washington Council of Governments.
- Julien, P. Y. 1994. *Erosion and Sedimentation (1st ed.)*. Cambridge University Press.
- Knighton, D. 1998. *Fluvial forms and processes: A new perspective*. Hodder Education, London, UK.
- Komar, P.D. 1987. Selective gravel entrainment and the empirical evaluation of flow competence. *Sedimentology*, 34: 1165-1176.
- Limerinos, J.T., 1970. Determination of the Manning coefficient from measured bed roughness in natural channels. United States Geological Survey Water-Supply Paper 1898B.
- Miller, M.C., McCave, I.N. and Komar, P.D. 1977. Threshold of sediment erosion under unidirectional currents. *Sedimentology*, 24: 507-527.
- Ministry of Environment (MOE). 2003. Ontario Ministry of Environment. *Stormwater Management Guidelines*.
- Newson, M. D., Newson, C. L., and Ne, T. 2000. Geomorphology, ecology and river channel habitat: mesoscale approaches to basin-scale challenges. *Progress in Physical Geography*, 2: 195-217.
- Niagara Peninsula Conservation Authority (NPCA). 2011. *Upper Welland River Watershed Plan*.
- Vermont Agency of Natural Resources (VANR). 2007. *Step 7: Rapid Geomorphic Assessment (RGA). Phase 2 Stream Geomorphic Assessment*.
- Ontario Geological Survey (OGS). 2010. *Physiography of Southern Ontario*.




Wentworth, C. (1922). A Scale of Grade and Class Terms for Clastic Sediments. *The Journal of Geology*, 30(5), 377-392.

Wolman, M.G. 1954. A method of sampling coarse riverbed material. *Transactions of the American Geophysical Union*, 35 (6): 951 – 956.



Appendix A
Historical Aerial Photographs



Location: Hamilton, ON

Year: 1934

Scale: 1:20000

Yellow Marker: Intersection of Airport Road and Homestead Drive



Location: Hamilton, ON

Year: 1950

Scale: 1:12000

Yellow Marker: Intersection of Airport Road and Homestead Drive




Location: Hamilton, ON

Year: 1963

Scale: 1:15000

Yellow Marker: Intersection of Airport Road and Homestead Drive



Location: Hamilton, ON

Year: 1969

Scale: 1:30000

Yellow Marker: Intersection of Airport Road and Homestead Drive



Location: Hamilton, ON

Year: 1978

Scale: Approx. 1:15000

Yellow Marker: Intersection of Airport Road and Homestead Drive




Location: Hamilton, ON
Year: 1985
Scale: 1:12000
Yellow Marker: Intersection of Airport Road and Homestead Drive



Location: Hamilton, ON
Year: 2005
Scale: N/A (orthoimagery)
Yellow Marker: Intersection of Airport Road and Homestead Drive




Location: Hamilton, ON
Year: 2012
Scale: N/A (orthoimagery)
Yellow Marker: Intersection of Airport Road and Homestead Drive



Location: Hamilton, ON
Year: 2014
Scale: N/A (orthoimagery)
Yellow Marker: Intersection of Airport Road and Homestead Drive



Location: Hamilton, ON
Year: 2017
Scale: N/A (orthoimagery)
Yellow Marker: Intersection of Airport Road and Homestead Drive




Location: Hamilton, ON

Year: 2018

Scale: N/A (orthoimagery)

Yellow Marker: Intersection of Airport Road and Homestead Drive



Location: Hamilton, ON

Year: 2021

Scale: N/A (orthoimagery)




Yellow Marker: Intersection of Airport Road and Homestead Drive



Appendix B Reach Delineation




Legend

-  Reach Break and ID
-  Watercourse
-  Detailed Assessment Location

**3054 Homestead Drive
Erosion Threshold Assessment**

Hamilton, Ontario



Imagery: Google Earth, 2021.
 Watercourse: MNRF, 2020/GEO Morphix Ltd., 2022.
 Reach Break and ID, Detailed Assessment
 Location: GEO Morphix Ltd.
 September 2022. PN22062. Drawn By: M.O., J.T.



Appendix C

Photographic Record

Photo 1
Reach **H1S1**



Reach **H1S1** is a high-order, headwater feature with limited channel definition. Yellow arrow denotes flow direction.

Photo 2
Reach **H1S1**



The channel is intermittently defined, but often exhibits multiple flow-paths. No flows were observed during the time of assessment.

Photo 3
Reach **H1S1**



Riparian conditions are characterized by dense cattails and grasses with occasional mature trees.

Photo 4
Reach **H1S1**



Vegetation encroachment onto the channel bed is common throughout the reach. Indicators of erosion are minimal.

Photo 5
Reach **H1S1**



Flows travel through dense cattail marsh features towards Homestead Drive.

Photo 6
Reach **H1S1**



Flows exit the reach through a stable 0.90 m PVC pipe culvert passes beneath Homestead Drive and Upper James Street.

Photo 7
Reach **H1S2**



Reach **H1S2** flows northeast and adjacent to Upper James Street. The reach is best characterized as a straightened ditch.

Photo 8
Reach **H1S2**



Groundwater inputs are evidenced by iron staining observed near the upstream extent of the reach.

Photo 9
Reach **H1S2**



Reach **H1S2** held water during the assessment, but flow velocities were imperceptible. Signs of bank erosion were noted, but were not significant.

Photo 10
Reach **H1S2**



Sections of the reach exhibit multiple and poorly defined channels and flow-paths.

Photo 11
Reach **H1S2**



Cattail vegetation encroachment is significant throughout the downstream portions of the reach. The channel here is poorly defined.

Photo 12
Reach **H1S2**



Flows exit reach H1S2 through a stable corrugated plastic pipe culvert that passes beneath a service road associated with the adjacent sod farm.

Photo 13
Reach **H1S3**



Reach **H1S3** flows through a constricted corridor between two paved lots.

Photo 14
Reach **H1S3**



Bed material ranges from silty clays to medium sized gravels. Banks are comprised of a compact silty clay loam.

Photo 15
Reach **H1S3**



Riparian vegetation is mostly grasses and cattails, with occasional mature trees near the downstream extent of the reach.

Photo 16
Reach **H1S3**



The channel exhibits a meandering planform within the constricted corridor. Bank exposure and erosion is common on the outer banks of meander bends.

Photo 17
Reach **H1S3**



Bank erosion has caused several outer banks to become fully exposed and void of any significant vegetation establishment.

Photo 18
Reach **H1S3**



The channel bed was wetted, but flows were minimal and imperceptible during the time of assessment.

Photo 19
Reach **H1S3**



The channel typically exhibits a trapezoidal shape with bank angles generally ranging from 60-90 degrees.

Photo 20
Reach **H1S3**



Flows exit the reach into an east-flowing tributary of Twenty Mile Creek.



Appendix D

Field Observations

General Site Characteristics

Project Code: 22063

Date:	2022-07-27	Stream/Reach:	H151
Weather:		Location:	Mt Hope
Field Staff:	JT MK	Watershed/Subwatershed:	20 Mile Crk

Features

- Reach break
- Cross-section
- Flow direction
- Riffle
- Pool
- Medial bar
- Eroded bank
- Undercut bank
- Rip rap/stabilization/gabion
- Leaning tree
- Fence
- Culvert/outfall
- Swamp/wetland
- Grasses
- Tree
- Instream log/tree
- Woody debris
- Station location
- Vegetated island

Flow Type

- H1** Standing water
- H2** Scarcely perceptible flow
- H3** Smooth surface flow
- H4** Upwelling
- H5** Rippled
- H6** Unbroken standing wave
- H7** Broken standing wave
- H8** Chute
- H9** Free fall


Substrate

- | | |
|------------------------|-------------------------|
| S1 Silt | S6 Small boulder |
| S2 Sand | S7 Large boulder |
| S3 Gravel | S8 Bimodal |
| S4 Small cobble | S9 Bedrock/till |
| S5 Large cobble | |

Other

- | | |
|--------------------------------|-----------------------|
| BM Benchmark | EP Erosion pin |
| BS Backsight | RB Rebar |
| DS Downstream | US Upstream |
| WDJ Woody debris jam | TR Terrace |
| VWC Valley wall contact | FC Flood chute |
| BOS Bottom of slope | FP Flood plain |
| TOS Top of slope | KP Knick point |

Site Sketch:



Additional Notes:

Reach Characteristics

Project Code:

Date:	2022-07-27	Stream/Reach:	H1S1
Weather:		Location:	3054 Homestead Dr
Field Staff:	JT MK	Watershed/Subwatershed:	Twenty Mile creek
UTM (Upstream)		UTM (Downstream)	

Land Use (Table 1) 3 Valley Type (Table 2) 1 Channel Type (Table 3) 14 Channel Zone (Table 4) 1/2 Flow Type (Table 5) 3 Groundwater Evidence: _____

Riparian Vegetation

Dominant Type: Coverage: None 1-4 4-10 > 10 Fragmented Continuous Encroachment: (Table 7) Immature (<5) Established (5-30) Mature (>30) 4

Species: _____

Aquatic/Instream Vegetation

Type (Table 8) 1 Coverage of Reach (%) 50 Density of WD: Low Moderate High

Woody Debris: Present in Cutbank Present in Channel Not Present WDJ/50m: 0

Water Quality

Odour (Table 16) N/A Turbidity (Table 17) N/A

Channel Characteristics

Sinuosity (Type) (Table 9)	Sinuosity (Degree) (Table 10)	Gradient (Table 11)	Number of Channels (Table 12)	Clay/Silt	Sand	Gravel	Cobble	Boulder	Parent	Rootlets
<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Entrenchment (Table 13) <input type="checkbox"/> /	Type of Bank Failure (Table 14) <input type="checkbox"/> 1	Downs's Classification (Table 15) <input type="checkbox"/> 5	Riffle Substrate <input checked="" type="checkbox"/>	Pool Substrate <input type="checkbox"/>	Bank Material <input checked="" type="checkbox"/>	Bank Angle <input checked="" type="checkbox"/> 0-30 <input type="checkbox"/> 30-60 <input type="checkbox"/> 60-90 <input type="checkbox"/> Undercut	Bank Erosion <input checked="" type="checkbox"/> <5% <input type="checkbox"/> 5-30% <input type="checkbox"/> 30-60% <input type="checkbox"/> 60-100%	Notes: - Swale - esque fracture, likely on HDF		
Bankfull Width (m) <input type="checkbox"/> 0.60	<input type="checkbox"/> 1.00	<input type="checkbox"/> 1.12	Wetted Width (m) <input type="checkbox"/> /	Meander Amplitude: <input type="checkbox"/> N/A	Bank Angle <input checked="" type="checkbox"/> 0-30 <input type="checkbox"/> 30-60 <input type="checkbox"/> 60-90 <input type="checkbox"/> Undercut					
Bankfull Depth (m) <input type="checkbox"/> 0.23	<input type="checkbox"/> 0.02	<input type="checkbox"/> 0.25	Wetted Depth (m) <input type="checkbox"/> /	Undercuts (m) <input type="checkbox"/> N/A	Bank Erosion <input checked="" type="checkbox"/> <5% <input type="checkbox"/> 5-30% <input type="checkbox"/> 30-60% <input type="checkbox"/> 60-100%					
Riffle/Pool Spacing (m) <input type="checkbox"/> N/A	<input type="checkbox"/> N/A	<input type="checkbox"/> N/A	% Pools: <input type="checkbox"/> N/A	Wiffle ball / ADV / Estimated <input checked="" type="checkbox"/>	Bank Erosion <input checked="" type="checkbox"/> <5% <input type="checkbox"/> 5-30% <input type="checkbox"/> 30-60% <input type="checkbox"/> 60-100%					
Pool Depth (m) <input type="checkbox"/> N/A	<input type="checkbox"/> N/A	<input type="checkbox"/> N/A	% Riffles: <input type="checkbox"/> N/A	Undercuts (m) <input type="checkbox"/> N/A	Bank Erosion <input checked="" type="checkbox"/> <5% <input type="checkbox"/> 5-30% <input type="checkbox"/> 30-60% <input type="checkbox"/> 60-100%					
Velocity (m/s) <input checked="" type="checkbox"/> /	<input type="checkbox"/> /	<input type="checkbox"/> /	Wiffle ball / ADV / Estimated <input checked="" type="checkbox"/>	Comments: Multiple, poorly defined channels observed - swale						

- stable outflow adveat ~ 90 cm diameter
- Dry during assessment

Completed by: JT/MK

Checked by: _____

Rapid Stream Assessment Technique

Project Code: 22063

Date:	2022-07-27	Stream/Reach:	H151
Weather:		Location:	Mt Hope
Field Staff:	JT Mk	Watershed/Subwatershed:	20 mile creek

Evaluation Category	Poor	Fair	Good	Excellent
Channel Stability	<ul style="list-style-type: none"> < 50% of bank network stable Recent bank sloughing, slumping or failure frequently observed 	<ul style="list-style-type: none"> 50-70% of bank network stable Recent signs of bank sloughing, slumping or failure fairly common 	<ul style="list-style-type: none"> 71-80% of bank network stable Infrequent signs of bank sloughing, slumping or failure 	<ul style="list-style-type: none"> > 80% of bank network stable No evidence of bank sloughing, slumping or failure
	<ul style="list-style-type: none"> Stream bend areas highly unstable Outer bank height 1.2 m above stream bank (2.1 m above stream bank for large mainstem areas) Bank overhang > 0.8-1.0 m 	<ul style="list-style-type: none"> Stream bend areas unstable Outer bank height 0.9-1.2 m above stream bank (1.5-2.1 m above stream bank for large mainstem areas) Bank overhang 0.8-0.9m 	<ul style="list-style-type: none"> Stream bend areas stable Outer bank height 0.6-0.9 m above stream bank (1.2-1.5 m above stream bank for large mainstem areas) Bank overhang 0.6-0.8 m 	<ul style="list-style-type: none"> Stream bend areas very stable Height < 0.6 m above stream (< 1.2 m above stream bank for large mainstem areas) Bank overhang < 0.6 m
	<ul style="list-style-type: none"> Young exposed tree roots abundant > 6 recent large tree falls per stream mile 	<ul style="list-style-type: none"> Young exposed tree roots common 4-5 recent large tree falls per stream mile 	<ul style="list-style-type: none"> Exposed tree roots predominantly old and large, smaller young roots scarce 2-3 recent large tree falls per stream mile 	<ul style="list-style-type: none"> Exposed tree roots old, large and woody Generally 0-1 recent large tree falls per stream mile
	<ul style="list-style-type: none"> Bottom 1/3 of bank is highly erodible material Plant/soil matrix severely compromised 	<ul style="list-style-type: none"> Bottom 1/3 of bank is generally highly erodible material Plant/soil matrix compromised 	<ul style="list-style-type: none"> Bottom 1/3 of bank is generally highly resistant plant/soil matrix or material 	<ul style="list-style-type: none"> Bottom 1/3 of bank is generally highly resistant plant/soil matrix or material
	<ul style="list-style-type: none"> Channel cross-section is generally trapezoidally-shaped 	<ul style="list-style-type: none"> Channel cross-section is generally trapezoidally-shaped 	<ul style="list-style-type: none"> Channel cross-section is generally V- or U-shaped 	<ul style="list-style-type: none"> Channel cross-section is generally V- or U-shaped
	Point range	<input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2	<input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5	<input type="checkbox"/> 6 <input type="checkbox"/> 7 <input checked="" type="checkbox"/> 8

Channel Scouring/ Sediment Deposition	<ul style="list-style-type: none"> > 75% embedded (> 85% embedded for large mainstem areas) 	<ul style="list-style-type: none"> 50-75% embedded (60-85% embedded for large mainstem areas) 	<ul style="list-style-type: none"> 25-49% embedded (35-59% embedded for large mainstem areas) 	<ul style="list-style-type: none"> Riffle embeddedness < 25% sand-silt (< 35% embedded for large mainstem areas)
	<ul style="list-style-type: none"> Few, if any, deep pools Pool substrate composition >81% sand-silt 	<ul style="list-style-type: none"> Low to moderate number of deep pools Pool substrate composition 60-80% sand-silt 	<ul style="list-style-type: none"> Moderate number of deep pools Pool substrate composition 30-59% sand-silt 	<ul style="list-style-type: none"> High number of deep pools (> 61 cm deep) (> 122 cm deep for large mainstem areas) Pool substrate composition <30% sand-silt
	<ul style="list-style-type: none"> Streambed streak marks and/or "banana"-shaped sediment deposits common 	<ul style="list-style-type: none"> Streambed streak marks and/or "banana"-shaped sediment deposits common 	<ul style="list-style-type: none"> Streambed streak marks and/or "banana"-shaped sediment deposits uncommon 	<ul style="list-style-type: none"> Streambed streak marks and/or "banana"-shaped sediment deposits absent
	<ul style="list-style-type: none"> Fresh, large sand deposits very common in channel Moderate to heavy sand deposition along major portion of overbank area 	<ul style="list-style-type: none"> Fresh, large sand deposits common in channel Small localized areas of fresh sand deposits along top of low banks 	<ul style="list-style-type: none"> Fresh, large sand deposits uncommon in channel Small localized areas of fresh sand deposits along top of low banks 	<ul style="list-style-type: none"> Fresh, large sand deposits rare or absent from channel No evidence of fresh sediment deposition on overbank
	<ul style="list-style-type: none"> Point bars present at most stream bends, moderate to large and unstable with high amount of fresh sand 	<ul style="list-style-type: none"> Point bars common, moderate to large and unstable with high amount of fresh sand 	<ul style="list-style-type: none"> Point bars small and stable, well-vegetated and/or armoured with little or no fresh sand 	<ul style="list-style-type: none"> Point bars few, small and stable, well-vegetated and/or armoured with little or no fresh sand
Point range	<input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2	<input type="checkbox"/> 3 <input type="checkbox"/> 4	<input type="checkbox"/> 5 <input checked="" type="checkbox"/> 6	<input type="checkbox"/> 7 <input type="checkbox"/> 8

Date:		Reach: H151		Project Code:	
Evaluation Category	Poor	Fair	Good	Excellent	
Physical Instream Habitat	Wetted perimeter < 40% of bottom channel width (< 45% for large mainstem areas)	Wetted perimeter 40-60% of bottom channel width (45-65% for large mainstem areas)	Wetted perimeter 61-85% of bottom channel width (66-90% for large mainstem areas)	Wetted perimeter > 85% of bottom channel width (> 90% for large mainstem areas)	
	Dominated by one habitat type (usually runs) and by one velocity and depth condition (slow and shallow) (for large mainstem areas, few riffles present, runs and pools dominant, velocity and depth diversity low)	Few pools present, riffles and runs dominant. Velocity and depth generally slow and shallow (for large mainstem areas, runs and pools dominant, velocity and depth diversity intermediate)	Good mix between riffles, runs and pools. Relatively diverse velocity and depth of flow	Riffles, runs and pool habitat present. Diverse velocity and depth of flow present (i.e., slow, fast, shallow and deep water)	
	Riffle substrate composition: predominantly gravel with high amount of sand < 5% cobble	Riffle substrate composition: predominantly small cobble, gravel and sand 5-24% cobble	Riffle substrate composition: good mix of gravel, cobble, and rubble material 25-49% cobble	Riffle substrate composition: cobble, gravel, rubble, boulder mix with little sand > 50% cobble	
	Riffle depth < 10 cm for large mainstem areas	Riffle depth 10-15 cm for large mainstem areas	Riffle depth 15-20 cm for large mainstem areas	Riffle depth > 20 cm for large mainstem areas	
	Large pools generally < 30 cm deep (< 61 cm for large mainstem areas) and devoid of overhead cover/structure	Large pools generally 30-46 cm deep (61-91 cm for large mainstem areas) with little or no overhead cover/structure	Large pools generally 46-61 cm deep (91-122 cm for large mainstem areas) with some overhead cover/structure	Large pools generally > 61 cm deep (> 122 cm for large mainstem areas) with good overhead cover/structure	
	Extensive channel alteration and/or point bar formation/enlargement	Moderate amount of channel alteration and/or moderate increase in point bar formation/enlargement	Slight amount of channel alteration and/or slight increase in point bar formation/enlargement	No channel alteration or significant point bar formation/enlargement	
	Riffle/Pool ratio 0.49:1 ; ≥1.51:1	Riffle/Pool ratio 0.5-0.69:1 ; 1.31-1.5:1	Riffle/Pool ratio 0.7-0.89:1 ; 1.11-1.3:1	Riffle/Pool ratio 0.9-1.1:1	
	Summer afternoon water temperature > 27°C	Summer afternoon water temperature 24-27°C	Summer afternoon water temperature 20-24°C	Summer afternoon water temperature < 20°C	
Point range	<input type="checkbox"/> 0 <input checked="" type="checkbox"/> 1 <input type="checkbox"/> 2	<input type="checkbox"/> 3 <input type="checkbox"/> 4	<input type="checkbox"/> 5 <input type="checkbox"/> 6	<input type="checkbox"/> 7 <input type="checkbox"/> 8	
Water Quality n/a Dry	Substrate fouling level: High (> 50%)	Substrate fouling level: Moderate (21-50%)	Substrate fouling level: Very light (11-20%)	Substrate fouling level: Rock underside (0-10%)	
	Brown colour TDS: > 150 mg/L	Grey colour TDS: 101-150 mg/L	Slightly grey colour TDS: 50-100 mg/L	Clear flow TDS: < 50 mg/L	
	Objects visible to depth < 0.15m below surface	Objects visible to depth 0.15-0.5m below surface	Objects visible to depth 0.5-1.0m below surface	Objects visible to depth > 1.0m below surface	
	Moderate to strong organic odour	Slight to moderate organic odour	Slight organic odour	No odour	
Point range	<input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2	<input type="checkbox"/> 3 <input type="checkbox"/> 4	<input type="checkbox"/> 5 <input type="checkbox"/> 6	<input checked="" type="checkbox"/> 7 <input type="checkbox"/> 8	
Riparian Habitat Conditions	Narrow riparian area of mostly non-woody vegetation	Riparian area predominantly wooded but with major localized gaps	Forested buffer generally > 31 m wide along major portion of both banks	Wide (> 60 m) mature forested buffer along both banks	
	Canopy coverage: < 50% shading (30% for large mainstem areas)	Canopy coverage: 50-60% shading (30-44% for large mainstem areas)	Canopy coverage: 60-79% shading (45-59% for large mainstem areas)	Canopy coverage: > 80% shading (> 60% for large mainstem areas)	
Point range	<input type="checkbox"/> 0 <input checked="" type="checkbox"/> 1	<input type="checkbox"/> 2 <input type="checkbox"/> 3	<input type="checkbox"/> 4 <input type="checkbox"/> 5	<input type="checkbox"/> 6 <input type="checkbox"/> 7	
Total overall score (0-42) = 19		Poor (<13)	Fair (13-24)	Good (25-34)	Excellent (>35)

Completed by: _____ Checked by: _____

Rapid Geomorphic Assessment

Project Code: 22063

Date:	2022-07-27	Stream/Reach:	HISI
Weather:		Watershed/Subwatershed:	20 mile cck
Field Staff:	JT MK	Location:	Mc Hope

Process	Geomorphological Indicator		Present?		Factor Value
	No.	Description	Yes	No	
Evidence of Aggradation (AI)	1	Lobate bar		X	0.333
	2	Coarse materials in riffles embedded			
	3	Siltation in pools	X		
	4	Medial bars		X	
	5	Accretion on point bars		X	
	6	Poor longitudinal sorting of bed materials		X	
	7	Deposition in the overbank zone	X		
Sum of indices =					

Evidence of Degradation (DI)	1	Exposed bridge footing(s)		X	0
	2	Exposed sanitary / storm sewer / pipeline / etc.		X	
	3	Elevated storm sewer outfall(s)		X	
	4	Undermined gabion baskets / concrete aprons / etc.			
	5	Scour pools downstream of culverts / storm sewer outlets			
	6	Cut face on bar forms		X	
	7	Head cutting due to knickpoint migration		X	
	8	Terrace cut through older bar material		X	
	9	Suspended armour layer visible in bank		X	
	10	Channel worn into undisturbed overburden / bedrock		X	
Sum of indices =					

Evidence of Widening (WI)	1	Fallen / leaning trees / fence posts / etc.		X	0
	2	Occurrence of large organic debris		X	
	3	Exposed tree roots		X	
	4	Basal scour on inside meander bends		X	
	5	Basal scour on both sides of channel through riffle		X	
	6	Outflanked gabion baskets / concrete walls / etc.			
	7	Length of basal scour >50% through subject reach		X	
	8	Exposed length of previously buried pipe / cable / etc.		X	
	9	Fracture lines along top of bank		X	
	10	Exposed building foundation			
Sum of indices =					

Evidence of Planimetric Form Adjustment (PI)	1	Formation of chute(s)	X		0.429
	2	Single thread channel to multiple channel	X		
	3	Evolution of pool-riffle form to low bed relief form		X	
	4	Cut-off channel(s)		X	
	5	Formation of island(s)		X	
	6	Thalweg alignment out of phase with meander form		X	
	7	Bar forms poorly formed / reworked / removed	X		
Sum of indices =					

Additional notes:	Stability Index (SI) = (AI+DI+WI+PI)/4 = 0.19			
Minimal geomorphic activity	Condition	In Regime	In Transition/Stress	In Adjustment
	SI score =	<input checked="" type="checkbox"/> 0.00 - 0.20	<input type="checkbox"/> 0.21 - 0.40	<input type="checkbox"/> 0.41

Completed by: _____ Checked by: _____

General Site Characteristics

Project Code: 22063

Date:	2022-07-27	Stream/Reach:	H152
Weather:		Location:	Mt Hope
Field Staff:	JT MK	Watershed/Subwatershed:	20 mile Crk

Features

- Reach break
- Cross-section
- Flow direction
- Riffle
- Pool
- Medial bar
- Eroded bank
- Undercut bank
- Rip rap/stabilization/gabion
- Leaning tree
- Fence
- Culvert/outfall
- Swamp/wetland
- Grasses
- Tree
- Instream log/tree
- Woody debris
- Station location
- Vegetated island

Flow Type


- H1** Standing water
- H2** Scarcely perceptible flow
- H3** Smooth surface flow
- H4** Upwelling
- H5** Rippled
- H6** Unbroken standing wave
- H7** Broken standing wave
- H8** Chute
- H9** Free fall

Substrate

S1 Silt	S6 Small boulder
S2 Sand	S7 Large boulder
S3 Gravel	S8 Bimodal
S4 Small cobble	S9 Bedrock/till
S5 Large cobble	

Other

BM Benchmark	EP Erosion pin
BS Backsight	RB Rebar
DS Downstream	US Upstream
WDJ Woody debris jam	TR Terrace
VWC Valley wall contact	FC Flood chute
BOS Bottom of slope	FP Flood plain
TOS Top of slope	KP Knick point



Additional Notes:

Reach Characteristics

Project Code: 22063

Date: 2022-07-27 Stream/Reach: H152
 Weather: Location: M4 hope
 Field Staff: ST MK Watershed/Subwatershed: 20 mile crk
 UTM (Upstream) UTM (Downstream)

Land Use (Table 1) 4 Valley Type (Table 2) 1 Channel Type (Table 3) 11 Channel Zone (Table 4) 2 Flow Type (Table 5) 1
 Evidence: Iron staining

Riparian Vegetation
 Dominant Type: Coverage: None Fragmented Continuous
 Age Class (yrs): Immature (<5) Established (5-30) Mature (>30)
 Encroachment (Table 7) 4
 Species: cattails, sumac

Aquatic/Instream Vegetation
 Type (Table 8) 1 Coverage of Reach (%) 35
 Woody Debris Density of WD: Low Moderate High
 Present in Cutbank Present in Channel Not Present
 WDI/50m: 0.25

Water Quality
 Odour (Table 16) 1
 Turbidity (Table 17) 1

Channel Characteristics

Sinuosity (Type) (Table 9) 1 Sinuosity (Degree) (Table 10) 1 Gradient (Table 11) 1 Number of Channels (Table 12) 1
 Entrenchment (Table 13) 1 Type of Bank Failure (Table 14) 1 Downs's Classification (Table 15) R
 Bankfull Width (m) 1.75 Wetted Width (m) 0.41
 Bankfull Depth (m) 0.25 Wetted Depth (m) 0.2
 Riffle/Pool Spacing (m) n/a % Riffles: 10 % Pools: 40 Meander Amplitude: n/a
 Pool Depth (m) 0.3 Riffle Length (m) n/a Undercuts (m) /
 Velocity (m/s) 0 Wiffle ball / ADV / Estimated 0

Bank Erosion
 Bank Angle 0-30 30-60 60-90 Undercut
 Bank Erosion < 5% 5-30% 30-60% 60-100%

Comments: intermediately poorly defined - dense cattails throughout
 - mostly a roadside ditch

Notes: - Minor geomorphic activity
 - heavily modified and straightened

Completed by: _____
Checked by: _____

Rapid Stream Assessment Technique

Project Code: 22063

Date:	2022-07-27	Stream/Reach:	H152
Weather:		Location:	20 Mile creek
Field Staff:	JT MK	Watershed/Subwatershed:	Mt Hope

Evaluation Category	Poor	Fair	Good	Excellent
Channel Stability	<ul style="list-style-type: none"> < 50% of bank network stable Recent bank sloughing, slumping or failure frequently observed 	<ul style="list-style-type: none"> 50-70% of bank network stable Recent signs of bank sloughing, slumping or failure fairly common 	<ul style="list-style-type: none"> 71-80% of bank network stable Infrequent signs of bank sloughing, slumping or failure 	<ul style="list-style-type: none"> > 80% of bank network stable No evidence of bank sloughing, slumping or failure
	<ul style="list-style-type: none"> Stream bend areas highly unstable Outer bank height 1.2 m above stream bank (2.1 m above stream bank for large mainstem areas) Bank overhang > 0.8-1.0 m 	<ul style="list-style-type: none"> Stream bend areas unstable Outer bank height 0.9-1.2 m above stream bank (1.5-2.1 m above stream bank for large mainstem areas) Bank overhang 0.8-0.9m 	<ul style="list-style-type: none"> Stream bend areas stable Outer bank height 0.6-0.9 m above stream bank (1.2-1.5 m above stream bank for large mainstem areas) Bank overhang 0.6-0.8 m 	<ul style="list-style-type: none"> Stream bend areas very stable Height < 0.6 m above stream (< 1.2 m above stream bank for large mainstem areas) Bank overhang < 0.6 m
	<ul style="list-style-type: none"> Young exposed tree roots abundant > 6 recent large tree falls per stream mile 	<ul style="list-style-type: none"> Young exposed tree roots common 4-5 recent large tree falls per stream mile 	<ul style="list-style-type: none"> Exposed tree roots predominantly old and large, smaller young roots scarce 2-3 recent large tree falls per stream mile 	<ul style="list-style-type: none"> Exposed tree roots old, large and woody Generally 0-1 recent large tree falls per stream mile
	<ul style="list-style-type: none"> Bottom 1/3 of bank is highly erodible material Plant/soil matrix severely compromised 	<ul style="list-style-type: none"> Bottom 1/3 of bank is generally highly erodible material Plant/soil matrix compromised 	<ul style="list-style-type: none"> Bottom 1/3 of bank is generally highly resistant plant/soil matrix or material 	<ul style="list-style-type: none"> Bottom 1/3 of bank is generally highly resistant plant/soil matrix or material
	<ul style="list-style-type: none"> Channel cross-section is generally trapezoidally-shaped 	<ul style="list-style-type: none"> Channel cross-section is generally trapezoidally-shaped 	<ul style="list-style-type: none"> Channel cross-section is generally V- or U-shaped 	<ul style="list-style-type: none"> Channel cross-section is generally V- or U-shaped
	Point range	<input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2	<input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5	<input type="checkbox"/> 6 <input type="checkbox"/> 7 <input checked="" type="checkbox"/> 8

Channel Scouring/ Sediment Deposition	<ul style="list-style-type: none"> > 75% embedded (> 85% embedded for large mainstem areas) 	<ul style="list-style-type: none"> 50-75% embedded (60-85% embedded for large mainstem areas) 	<ul style="list-style-type: none"> 25-49% embedded (35-59% embedded for large mainstem areas) 	<ul style="list-style-type: none"> Riffle embeddedness < 25% sand-silt (< 35% embedded for large mainstem areas)
	<ul style="list-style-type: none"> Few, if any, deep pools Pool substrate composition >81% sand-silt 	<ul style="list-style-type: none"> Low to moderate number of deep pools Pool substrate composition 60-80% sand-silt 	<ul style="list-style-type: none"> Moderate number of deep pools Pool substrate composition 30-59% sand-silt 	<ul style="list-style-type: none"> High number of deep pools (> 61 cm deep) (> 122 cm deep for large mainstem areas) Pool substrate composition <30% sand-silt
	<ul style="list-style-type: none"> Streambed streak marks and/or "banana"-shaped sediment deposits common 	<ul style="list-style-type: none"> Streambed streak marks and/or "banana"-shaped sediment deposits common 	<ul style="list-style-type: none"> Streambed streak marks and/or "banana"-shaped sediment deposits uncommon 	<ul style="list-style-type: none"> Streambed streak marks and/or "banana"-shaped sediment deposits absent
	<ul style="list-style-type: none"> Fresh, large sand deposits very common in channel Moderate to heavy sand deposition along major portion of overbank area 	<ul style="list-style-type: none"> Fresh, large sand deposits common in channel Small localized areas of fresh sand deposits along top of low banks 	<ul style="list-style-type: none"> Fresh, large sand deposits uncommon in channel Small localized areas of fresh sand deposits along top of low banks 	<ul style="list-style-type: none"> Fresh, large sand deposits rare or absent from channel No evidence of fresh sediment deposition on overbank
	<ul style="list-style-type: none"> Point bars present at most stream bends, moderate to large and unstable with high amount of fresh sand 	<ul style="list-style-type: none"> Point bars common, moderate to large and unstable with high amount of fresh sand 	<ul style="list-style-type: none"> Point bars small and stable, well-vegetated and/or armoured with little or no fresh sand 	<ul style="list-style-type: none"> Point bars few, small and stable, well-vegetated and/or armoured with little or no fresh sand
Point range	<input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2	<input type="checkbox"/> 3 <input type="checkbox"/> 4	<input type="checkbox"/> 5 <input checked="" type="checkbox"/> 6	<input type="checkbox"/> 7 <input type="checkbox"/> 8

Date:	Reach:		Project Code:	
Evaluation Category	Poor	Fair	Good	Excellent
Physical Instream Habitat	<ul style="list-style-type: none"> Wetted perimeter < 40% of bottom channel width (< 45% for large mainstem areas) 	<ul style="list-style-type: none"> Wetted perimeter 40-60% of bottom channel width (45-65% for large mainstem areas) 	<ul style="list-style-type: none"> Wetted perimeter 61-85% of bottom channel width (66-90% for large mainstem areas) 	<ul style="list-style-type: none"> Wetted perimeter > 85% of bottom channel width (> 90% for large mainstem areas)
	<ul style="list-style-type: none"> Dominated by one habitat type (usually runs) and by one velocity and depth condition (slow and shallow) (for large mainstem areas, few riffles present, runs and pools dominant, velocity and depth diversity low) 	<ul style="list-style-type: none"> Few pools present, riffles and runs dominant. Velocity and depth generally slow and shallow (for large mainstem areas, runs and pools dominant, velocity and depth diversity intermediate) 	<ul style="list-style-type: none"> Good mix between riffles, runs and pools Relatively diverse velocity and depth of flow 	<ul style="list-style-type: none"> Riffles, runs and pool habitat present Diverse velocity and depth of flow present (i.e., slow, fast, shallow and deep water)
	<ul style="list-style-type: none"> Riffle substrate composition: predominantly gravel with high amount of sand < 5% cobble 	<ul style="list-style-type: none"> Riffle substrate composition: predominantly small cobble, gravel and sand 5-24% cobble 	<ul style="list-style-type: none"> Riffle substrate composition: good mix of gravel, cobble, and rubble material 25-49% cobble 	<ul style="list-style-type: none"> Riffle substrate composition: cobble, gravel, rubble, boulder mix with little sand > 50% cobble
	<ul style="list-style-type: none"> Riffle depth < 10 cm for large mainstem areas 	<ul style="list-style-type: none"> Riffle depth 10-15 cm for large mainstem areas 	<ul style="list-style-type: none"> Riffle depth 15-20 cm for large mainstem areas 	<ul style="list-style-type: none"> Riffle depth > 20 cm for large mainstem areas
	<ul style="list-style-type: none"> Large pools generally < 30 cm deep (< 61 cm for large mainstem areas) and devoid of overhead cover/structure 	<ul style="list-style-type: none"> Large pools generally 30-46 cm deep (61-91 cm for large mainstem areas) with little or no overhead cover/structure 	<ul style="list-style-type: none"> Large pools generally 46-61 cm deep (91-122 cm for large mainstem areas) with some overhead cover/structure 	<ul style="list-style-type: none"> Large pools generally > 61 cm deep (> 122 cm for large mainstem areas) with good overhead cover/structure
	<ul style="list-style-type: none"> Extensive channel alteration and/or point bar formation/enlargement 	<ul style="list-style-type: none"> Moderate amount of channel alteration and/or moderate increase in point bar formation/enlargement 	<ul style="list-style-type: none"> Slight amount of channel alteration and/or slight increase in point bar formation/enlargement 	<ul style="list-style-type: none"> No channel alteration or significant point bar formation/enlargement
	<ul style="list-style-type: none"> Riffle/Pool ratio 0.49:1 ; ≥1.51:1 Summer afternoon water temperature > 27°C 	<ul style="list-style-type: none"> Riffle/Pool ratio 0.5-0.69:1 ; 1.31-1.5:1 Summer afternoon water temperature 24-27°C 	<ul style="list-style-type: none"> Riffle/Pool ratio 0.7-0.89:1 ; 1.11-1.3:1 Summer afternoon water temperature 20-24°C 	<ul style="list-style-type: none"> Riffle/Pool ratio 0.9-1.1:1 Summer afternoon water temperature < 20°C
Point range	<input type="checkbox"/> 0 <input checked="" type="checkbox"/> 1 <input type="checkbox"/> 2	<input type="checkbox"/> 3 <input type="checkbox"/> 4	<input type="checkbox"/> 5 <input type="checkbox"/> 6	<input type="checkbox"/> 7 <input type="checkbox"/> 8
Water Quality	<ul style="list-style-type: none"> Substrate fouling level: High (> 50%) 	<ul style="list-style-type: none"> Substrate fouling level: Moderate (21-50%) 	<ul style="list-style-type: none"> Substrate fouling level: Very light (11-20%) 	<ul style="list-style-type: none"> Substrate fouling level: Rock underside (0-10%)
	<ul style="list-style-type: none"> Brown colour TDS: > 150 mg/L 	<ul style="list-style-type: none"> Grey colour TDS: 101-150 mg/L 	<ul style="list-style-type: none"> Slightly grey colour TDS: 50-100 mg/L 	<ul style="list-style-type: none"> Clear flow TDS: < 50 mg/L
	<ul style="list-style-type: none"> Objects visible to depth < 0.15m below surface 	<ul style="list-style-type: none"> Objects visible to depth 0.15-0.5m below surface 	<ul style="list-style-type: none"> Objects visible to depth 0.5-1.0m below surface 	<ul style="list-style-type: none"> Objects visible to depth > 1.0m below surface
	<ul style="list-style-type: none"> Moderate to strong organic odour 	<ul style="list-style-type: none"> Slight to moderate organic odour 	<ul style="list-style-type: none"> Slight organic odour 	<ul style="list-style-type: none"> No odour
Point range	<input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2	<input type="checkbox"/> 3 <input type="checkbox"/> 4	<input type="checkbox"/> 5 <input type="checkbox"/> 6	<input checked="" type="checkbox"/> 7 <input type="checkbox"/> 8
Riparian Habitat Conditions	<ul style="list-style-type: none"> Narrow riparian area of mostly non-woody vegetation 	<ul style="list-style-type: none"> Riparian area predominantly wooded but with major localized gaps 	<ul style="list-style-type: none"> Forested buffer generally > 31 m wide along major portion of both banks 	<ul style="list-style-type: none"> Wide (> 60 m) mature forested buffer along both banks
	<ul style="list-style-type: none"> Canopy coverage: <50% shading (30% for large mainstem areas) 	<ul style="list-style-type: none"> Canopy coverage: 50-60% shading (30-44% for large mainstem areas) 	<ul style="list-style-type: none"> Canopy coverage: 60-79% shading (45-59% for large mainstem areas) 	<ul style="list-style-type: none"> Canopy coverage: >80% shading (> 60% for large mainstem areas)
Point range	<input type="checkbox"/> 0 <input checked="" type="checkbox"/> 1	<input type="checkbox"/> 2 <input type="checkbox"/> 3	<input type="checkbox"/> 4 <input type="checkbox"/> 5	<input type="checkbox"/> 6 <input type="checkbox"/> 7
Total overall score (0-42) = 23				
Poor (<13)		Fair (13-24)		Excellent (>35)

Rapid Geomorphic Assessment

Project Code: 22063

Date:	2022-07-27	Stream/Reach:	H152
Weather:		Watershed/Subwatershed:	20 Mile Creek
Field Staff:	JT MK	Location:	Mt Hope

Process	Geomorphological Indicator		Present?		Factor Value
	No.	Description	Yes	No	
Evidence of Aggradation (AI)	1	Lobate bar		X	0.167
	2	Coarse materials in riffles embedded		X	
	3	Siltation in pools	X		
	4	Medial bars		X	
	5	Accretion on point bars		X	
	6	Poor longitudinal sorting of bed materials		X	
	7	Deposition in the overbank zone		X	
Sum of indices =					

Evidence of Degradation (DI)	1	Exposed bridge footing(s)			0
	2	Exposed sanitary / storm sewer / pipeline / etc.			
	3	Elevated storm sewer outfall(s)		X	
	4	Undermined gabion baskets / concrete aprons / etc.			
	5	Scour pools downstream of culverts / storm sewer outlets		X	
	6	Cut face on bar forms		X	
	7	Head cutting due to knickpoint migration		X	
	8	Terrace cut through older bar material		X	
	9	Suspended armour layer visible in bank		X	
	10	Channel worn into undisturbed overburden / bedrock		X	
Sum of indices =					

Evidence of Widening (WI)	1	Fallen / leaning trees / fence posts / etc.		X	0
	2	Occurrence of large organic debris		X	
	3	Exposed tree roots		X	
	4	Basal scour on inside meander bends		X	
	5	Basal scour on both sides of channel through riffle		X	
	6	Outflanked gabion baskets / concrete walls / etc.		X	
	7	Length of basal scour >50% through subject reach		X	
	8	Exposed length of previously buried pipe / cable / etc.		X	
	9	Fracture lines along top of bank		X	
	10	Exposed building foundation			
Sum of indices =					

Evidence of Planimetric Form Adjustment (PI)	1	Formation of chute(s)	X		0.571
	2	Single thread channel to multiple channel	X		
	3	Evolution of pool-riffle form to low bed relief form		X	
	4	Cut-off channel(s)		X	
	5	Formation of island(s)	X		
	6	Thalweg alignment out of phase with meander form		X	
	7	Bar forms poorly formed / reworked / removed	X		
Sum of indices =					

Additional notes:	Stability Index (SI) = (AI+DI+WI+PI)/4 = 0.185			
	Condition	In Regime	In Transition/Stress	In Adjustment
	SI score =	<input checked="" type="checkbox"/> 0.00 - 0.20	<input type="checkbox"/> 0.21 - 0.40	<input type="checkbox"/> 0.41

Completed by: _____ Checked by: _____

Reach Characteristics

Project Code: 22063

Date: 2022-07-27 Stream/Reach: H153
 Weather: Location: Mt Hope
 Field Staff: JT MK Watershed/Subwatershed: 20 Mile Creek
 UTM (Upstream) UTM (Downstream)

Land Use (Table 1) 3 Valley Type (Table 2) 1 Channel Type (Table 3) 12 Channel Zone (Table 4) 2 Flow Type (Table 5) 1 Groundwater Evidence: _____

Riparian Vegetation
 Dominant Type: Coverage: None 1-4 4-10 > 10 Mature (>30)
 Species: _____
 Age Class (yrs): Encroachment: (Table 7) 3
 Immature (<5) Established (5-30)

Aquatic/Instream Vegetation
 Type (Table 8) 1 Coverage of Reach (%) 15
 Woody Debris Density of WD: Low Moderate High
 Present in Cutbank WDJ/50m: 0
 Present in Channel Not Present

Water Quality
 Odour (Table 16) 1
 Turbidity (Table 17) 1

Channel Characteristics

Sinuosity (Type) (Table 9)	Sinuosity (Degree) (Table 10)	Gradient (Table 11)	Number of Channels (Table 12)	Clay/Silt	Sand	Gravel	Cobble	Boulder	Parent	Rootlets
3	3	2	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Entrenchment (Table 13)										
Type of Bank Failure (Table 14) _____ Downs's Classification (Table 15) _____										
Bankfull Width (m)	Wetted Width (m)	Wetted Depth (m)	Bank Material	Bank Erosion						
Bankfull Depth (m)	Wetted Depth (m)	Meander Amplitude:		<input type="checkbox"/> 0 - 30	<input type="checkbox"/> < 5%					
Riffle/Pool Spacing (m)	% Riffles: ~3m	% Pools: ~40	Undercuts (m) 0.02	<input type="checkbox"/> 30 - 60	<input type="checkbox"/> 5 - 30%					
Pool Depth (m)	Riffle Length (m) 0.09	Undercuts (m) 0.18	Waffle ball / ADV / Estimated	<input checked="" type="checkbox"/> 60 - 90	<input checked="" type="checkbox"/> 30 - 60%					
Velocity (m/s)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Waffle ball / ADV / Estimated	<input checked="" type="checkbox"/> Undercut	<input checked="" type="checkbox"/> 60 - 100%					

Notes: Constricted / Straightened in upper portion of reach

- hard clays on bed/toe of bank
 no loose silty clays

Completed by: _____ Checked by: _____

Rapid Geomorphic Assessment

Project Code: 22063

Date:	2022-07-27	Stream/Reach:	H153
Weather:		Watershed/Subwatershed:	20 Mile Creek
Field Staff:	JT MK	Location:	Mt Hope

Process	Geomorphological Indicator		Present?		Factor Value
	No.	Description	Yes	No	
Evidence of Aggradation (AI)	1	Lobate bar		X	0.429
	2	Coarse materials in riffles embedded	X		
	3	Siltation in pools	X		
	4	Medial bars		X	
	5	Accretion on point bars	X		
	6	Poor longitudinal sorting of bed materials		X	
	7	Deposition in the overbank zone		X	
Sum of indices =					

Evidence of Degradation (DI)	1	Exposed bridge footing(s)			0.125
	2	Exposed sanitary / storm sewer / pipeline / etc.	X		
	3	Elevated storm sewer outfall(s)		X	
	4	Undermined gabion baskets / concrete aprons / etc.			
	5	Scour pools downstream of culverts / storm sewer outlets		X	
	6	Cut face on bar forms		X	
	7	Head cutting due to knickpoint migration		X	
	8	Terrace cut through older bar material		X	
	9	Suspended armour layer visible in bank		X	
	10	Channel worn into undisturbed overburden / bedrock		X	
Sum of indices =					

Evidence of Widening (WI)	1	Fallen / leaning trees / fence posts / etc.		X	0.333
	2	Occurrence of large organic debris		X	
	3	Exposed tree roots	X		
	4	Basal scour on inside meander bends		X	
	5	Basal scour on both sides of channel through riffle		X	
	6	Outflanked gabion baskets / concrete walls / etc.			
	7	Length of basal scour > 50% through subject reach		X	
	8	Exposed length of previously buried pipe / cable / etc.	X		
	9	Fracture lines along top of bank	X		
	10	Exposed building foundation		X	
Sum of indices =					

Evidence of Planimetric Form Adjustment (PI)	1	Formation of chute(s)		X	0.143
	2	Single thread channel to multiple channel		X	
	3	Evolution of pool-riffle form to low bed relief form		X	
	4	Cut-off channel(s)		X	
	5	Formation of island(s)		X	
	6	Thalweg alignment out of phase with meander form		X	
	7	Bar forms poorly formed / reworked / removed	X		
Sum of indices =					

Additional notes:	Stability Index (SI) = (AI+DI+WI+PI)/4 = 0.257			
	Condition	In Regime	In Transition/Stress	In Adjustment
	SI score =	<input type="checkbox"/> 0.00 - 0.20	<input checked="" type="checkbox"/> 0.21 - 0.40	<input type="checkbox"/> 0.41

Completed by: _____ Checked by: _____

Rapid Stream Assessment Technique

Project Code: 22063

Date:	2022-07-27	Stream/Reach:	H153
Weather:		Location:	20 Mile Creek
Field Staff:	JT MK	Watershed/Subwatershed:	Mt Hope

Evaluation Category	Poor	Fair	Good	Excellent
Channel Stability	<ul style="list-style-type: none"> < 50% of bank network stable Recent bank sloughing, slumping or failure frequently observed 	<ul style="list-style-type: none"> 50-70% of bank network stable Recent signs of bank sloughing, slumping or failure fairly common 	<ul style="list-style-type: none"> 71-80% of bank network stable Infrequent signs of bank sloughing, slumping or failure 	<ul style="list-style-type: none"> > 80% of bank network stable No evidence of bank sloughing, slumping or failure
	<ul style="list-style-type: none"> Stream bend areas highly unstable Outer bank height 1.2 m above stream bank (2.1 m above stream bank for large mainstem areas) Bank overhang > 0.8-1.0 m 	<ul style="list-style-type: none"> Stream bend areas unstable Outer bank height 0.9-1.2 m above stream bank (1.5-2.1 m above stream bank for large mainstem areas) Bank overhang 0.8-0.9m 	<ul style="list-style-type: none"> Stream bend areas stable Outer bank height 0.6-0.9 m above stream bank (1.2-1.5 m above stream bank for large mainstem areas) Bank overhang 0.6-0.8 m 	<ul style="list-style-type: none"> Stream bend areas very stable Height < 0.6 m above stream (< 1.2 m above stream bank for large mainstem areas) Bank overhang < 0.6 m
	<ul style="list-style-type: none"> Young exposed tree roots abundant > 6 recent large tree falls per stream mile 	<ul style="list-style-type: none"> Young exposed tree roots common 4-5 recent large tree falls per stream mile 	<ul style="list-style-type: none"> Exposed tree roots predominantly old and large, smaller young roots scarce 2-3 recent large tree falls per stream mile 	<ul style="list-style-type: none"> Exposed tree roots old, large and woody Generally 0-1 recent large tree falls per stream mile
	<ul style="list-style-type: none"> Bottom 1/3 of bank is highly erodible material Plant/soil matrix severely compromised 	<ul style="list-style-type: none"> Bottom 1/3 of bank is generally highly erodible material Plant/soil matrix compromised 	<ul style="list-style-type: none"> Bottom 1/3 of bank is generally highly resistant plant/soil matrix or material 	<ul style="list-style-type: none"> Bottom 1/3 of bank is generally highly resistant plant/soil matrix or material
	<ul style="list-style-type: none"> Channel cross-section is generally trapezoidally-shaped 	<ul style="list-style-type: none"> Channel cross-section is generally trapezoidally-shaped 	<ul style="list-style-type: none"> Channel cross-section is generally V- or U-shaped 	<ul style="list-style-type: none"> Channel cross-section is generally V- or U-shaped
Point range	<input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2	<input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5	<input type="checkbox"/> 6 <input checked="" type="checkbox"/> 7 <input type="checkbox"/> 8	<input type="checkbox"/> 9 <input type="checkbox"/> 10 <input type="checkbox"/> 11

Channel Scouring/ Sediment Deposition	<ul style="list-style-type: none"> > 75% embedded (> 85% embedded for large mainstem areas) 	<ul style="list-style-type: none"> 50-75% embedded (60-85% embedded for large mainstem areas) 	<ul style="list-style-type: none"> 25-49% embedded (35-59% embedded for large mainstem areas) 	<ul style="list-style-type: none"> Riffle embeddedness < 25% sand-silt (< 35% embedded for large mainstem areas)
	<ul style="list-style-type: none"> Few, if any, deep pools Pool substrate composition >81% sand-silt 	<ul style="list-style-type: none"> Low to moderate number of deep pools Pool substrate composition 60-80% sand-silt 	<ul style="list-style-type: none"> Moderate number of deep pools Pool substrate composition 30-59% sand-silt 	<ul style="list-style-type: none"> High number of deep pools (> 61 cm deep) (> 122 cm deep for large mainstem areas) Pool substrate composition <30% sand-silt
	<ul style="list-style-type: none"> Streambed streak marks and/or "banana"-shaped sediment deposits common 	<ul style="list-style-type: none"> Streambed streak marks and/or "banana"-shaped sediment deposits common 	<ul style="list-style-type: none"> Streambed streak marks and/or "banana"-shaped sediment deposits uncommon 	<ul style="list-style-type: none"> Streambed streak marks and/or "banana"-shaped sediment deposits absent
	<ul style="list-style-type: none"> Fresh, large sand deposits very common in channel Moderate to heavy sand deposition along major portion of overbank area 	<ul style="list-style-type: none"> Fresh, large sand deposits common in channel Small localized areas of fresh sand deposits along top of low banks 	<ul style="list-style-type: none"> Fresh, large sand deposits uncommon in channel Small localized areas of fresh sand deposits along top of low banks 	<ul style="list-style-type: none"> Fresh, large sand deposits rare or absent from channel No evidence of fresh sediment deposition on overbank
	<ul style="list-style-type: none"> Point bars present at most stream bends, moderate to large and unstable with high amount of fresh sand 	<ul style="list-style-type: none"> Point bars common, moderate to large and unstable with high amount of fresh sand 	<ul style="list-style-type: none"> Point bars small and stable, well-vegetated and/or armoured with little or no fresh sand 	<ul style="list-style-type: none"> Point bars few, small and stable, well-vegetated and/or armoured with little or no fresh sand
Point range	<input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2	<input type="checkbox"/> 3 <input type="checkbox"/> 4	<input type="checkbox"/> 5 <input checked="" type="checkbox"/> 6	<input type="checkbox"/> 7 <input type="checkbox"/> 8

Date:	Reach: H153			Project Code:
Evaluation Category	Poor	Fair	Good	Excellent
Physical Instream Habitat	<ul style="list-style-type: none"> Wetted perimeter < 40% of bottom channel width (< 45% for large mainstem areas) 	<ul style="list-style-type: none"> Wetted perimeter 40-60% of bottom channel width (45-65% for large mainstem areas) 	<ul style="list-style-type: none"> Wetted perimeter 61-85% of bottom channel width (66-90% for large mainstem areas) 	<ul style="list-style-type: none"> Wetted perimeter > 85% of bottom channel width (> 90% for large mainstem areas)
	<ul style="list-style-type: none"> Dominated by one habitat type (usually runs) and by one velocity and depth condition (slow and shallow) (for large mainstem areas, few riffles present, runs and pools dominant, velocity and depth diversity low) 	<ul style="list-style-type: none"> Few pools present, riffles and runs dominant. Velocity and depth generally slow and shallow (for large mainstem areas, runs and pools dominant, velocity and depth diversity intermediate) 	<ul style="list-style-type: none"> Good mix between riffles, runs and pools Relatively diverse velocity and depth of flow 	<ul style="list-style-type: none"> Riffles, runs and pool habitat present Diverse velocity and depth of flow present (i.e., slow, fast, shallow and deep water)
	<ul style="list-style-type: none"> Riffle substrate composition: predominantly gravel with high amount of sand < 5% cobble 	<ul style="list-style-type: none"> Riffle substrate composition: predominantly small cobble, gravel and sand 5-24% cobble 	<ul style="list-style-type: none"> Riffle substrate composition: good mix of gravel, cobble, and rubble material 25-49% cobble 	<ul style="list-style-type: none"> Riffle substrate composition: cobble, gravel, rubble, boulder mix with little sand > 50% cobble
	<ul style="list-style-type: none"> Riffle depth < 10 cm for large mainstem areas Large pools generally < 30 cm deep (< 61 cm for large mainstem areas) and devoid of overhead cover/structure 	<ul style="list-style-type: none"> Riffle depth 10-15 cm for large mainstem areas Large pools generally 30-46 cm deep (61-91 cm for large mainstem areas) with little or no overhead cover/structure 	<ul style="list-style-type: none"> Riffle depth 15-20 cm for large mainstem areas Large pools generally 46-61 cm deep (91-122 cm for large mainstem areas) with some overhead cover/structure 	<ul style="list-style-type: none"> Riffle depth > 20 cm for large mainstem areas Large pools generally > 61 cm deep (> 122 cm for large mainstem areas) with good overhead cover/structure
	<ul style="list-style-type: none"> Extensive channel alteration and/or point bar formation/enlargement 	<ul style="list-style-type: none"> Moderate amount of channel alteration and/or moderate increase in point bar formation/enlargement 	<ul style="list-style-type: none"> Slight amount of channel alteration and/or slight increase in point bar formation/enlargement 	<ul style="list-style-type: none"> No channel alteration or significant point bar formation/enlargement
	<ul style="list-style-type: none"> Riffle/Pool ratio 0.49:1 ; ≥1.51:1 	<ul style="list-style-type: none"> Riffle/Pool ratio 0.5-0.69:1 ; 1.31-1.5:1 	<ul style="list-style-type: none"> Riffle/Pool ratio 0.7-0.89:1 ; 1.11-1.3:1 	<ul style="list-style-type: none"> Riffle/Pool ratio 0.9-1.1:1
	<ul style="list-style-type: none"> Summer afternoon water temperature > 27°C 	<ul style="list-style-type: none"> Summer afternoon water temperature 24-27°C 	<ul style="list-style-type: none"> Summer afternoon water temperature 20-24°C 	<ul style="list-style-type: none"> Summer afternoon water temperature < 20°C
	Point range	<input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2	<input type="checkbox"/> 3 <input checked="" type="checkbox"/> 4	<input type="checkbox"/> 5 <input type="checkbox"/> 6
Water Quality	<ul style="list-style-type: none"> Substrate fouling level: High (> 50%) 	<ul style="list-style-type: none"> Substrate fouling level: Moderate (21-50%) 	<ul style="list-style-type: none"> Substrate fouling level: Very light (11-20%) 	<ul style="list-style-type: none"> Substrate fouling level: Rock underside (0-10%)
	<ul style="list-style-type: none"> Brown colour TDS: > 150 mg/L 	<ul style="list-style-type: none"> Grey colour TDS: 101-150 mg/L 	<ul style="list-style-type: none"> Slightly grey colour TDS: 50-100 mg/L 	<ul style="list-style-type: none"> Clear flow TDS: < 50 mg/L
	<ul style="list-style-type: none"> Objects visible to depth < 0.15m below surface 	<ul style="list-style-type: none"> Objects visible to depth 0.15-0.5m below surface 	<ul style="list-style-type: none"> Objects visible to depth 0.5-1.0m below surface 	<ul style="list-style-type: none"> Objects visible to depth > 1.0m below surface
	<ul style="list-style-type: none"> Moderate to strong organic odour 	<ul style="list-style-type: none"> Slight to moderate organic odour 	<ul style="list-style-type: none"> Slight organic odour 	<ul style="list-style-type: none"> No odour
Point range	<input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2	<input type="checkbox"/> 3 <input type="checkbox"/> 4	<input type="checkbox"/> 5 <input type="checkbox"/> 6	<input checked="" type="checkbox"/> 7 <input type="checkbox"/> 8
Riparian Habitat Conditions	<ul style="list-style-type: none"> Narrow riparian area of mostly non-woody vegetation 	<ul style="list-style-type: none"> Riparian area predominantly wooded but with major localized gaps 	<ul style="list-style-type: none"> Forested buffer generally > 31 m wide along major portion of both banks 	<ul style="list-style-type: none"> Wide (> 60 m) mature forested buffer along both banks
	<ul style="list-style-type: none"> Canopy coverage: <50% shading (30% for large mainstem areas) 	<ul style="list-style-type: none"> Canopy coverage: 50-60% shading (30-44% for large mainstem areas) 	<ul style="list-style-type: none"> Canopy coverage: 60-79% shading (45-59% for large mainstem areas) 	<ul style="list-style-type: none"> Canopy coverage: >80% shading (> 60% for large mainstem areas)
Point range	<input type="checkbox"/> 0 <input checked="" type="checkbox"/> 1	<input type="checkbox"/> 2 <input type="checkbox"/> 3	<input type="checkbox"/> 4 <input type="checkbox"/> 5	<input type="checkbox"/> 6 <input type="checkbox"/> 7
Total overall score (0-42) = 25				
Poor (<13)		Fair (13-24)		Good (25-34)
				Excellent (>35)



Appendix E
Detailed Assessment Summary

Detailed Geomorphological Assessment Summary Reach H1S3


Project Number:	PN22063	Date:	2022-07-27
Client:	Fengate	Length Surveyed (m):	57.5
Location:	Hamilton - Mount Hope	# of Cross-Sections:	7

Reach Characteristics			
Drainage Area:	48 ha	Dominant Riparian Vegetation Type:	Grasses/Herbaceous Plants
Geology/Soils:	Clay-Silt	Extent of Riparian Cover:	Continuous
Surrounding Land Use:	Commerical + Industrial	Width of Riparian Cover:	4-10 Channel Widths
Valley Type:	Confined	Age Class of Riparian Vegetation:	Immature (<5yrs)
Dominant Instream Vegetation Type:	Cattails	Extent of Encroachment into Channel:	Minimal
Portion of Reach with Vegetation:	15%	Density of Woody Debris:	Low

Hydrology			
Measured Discharge (m³/s):	Minimal Flows	Calculated Bankfull Discharge (m³/s):	0.35
Modelled 2-year Discharge (m³/s):	Not modelled	Calculated Bankfull Velocity (m/s):	0.92
Modelled 2-year Velocity (m/s):	Not modelled		

Profile Characteristics	
Bankfull Gradient (%):	1.23
Channel Bed Gradient (%):	1.58
Riffle Gradient (%):	Not measured
Riffle Length (m):	Not measured
Riffle-Pool Spacing (m):	Not measured

Planform Characteristics	
Sinuosity:	1.15
Meander Belt Width (m):	Not measured
Radius of Curvature (m):	Not measured
Meander Amplitude (m):	Not measured
Meander wavelength (m):	Not measured



Bank Characteristics								
	Minimum	Maximum	Average		Minimum	Maximum	Average	
Bank Height (m):	0.28	1.70	0.62					
Bank Angle (deg):	30	90	59	Torvane Value (kg/cm²):	Not measured			
Root Depth (m):	0.05	0.80	0.20	Penetrometer Value (kg/cm³):	Not measured			
Root Density (%):	5	40	14	Bank Material (range):	Silt-Clay			
Bank Undercut (m):	0.00	0.18	0.05					


Cross-Sectional Characteristics

	Minimum	Maximum	Average
Bankfull Width (m):	1.00	2.54	1.61
Average Bankfull Depth (m):	0.21	0.30	0.24
Bankfull Width/Depth (m/m):	5	10	7
Wetted Width (m):	0.09	0.54	0.34
Average Water Depth (m):	0.01	0.05	0.03
Wetted Width/Depth (m/m):	5	43	14
Entrenchment (m):		Not measured	
Entrenchment Ratio (m/m):		Not measured	
Maximum Water Depth (m):	0.02	0.09	0.06
Manning's n :		0.046	



Photograph at cross section 3 (looking upstream)


Representative Cross-Section #3



Substrate Characteristics

Particle Size (mm)		Subpavement:	Till
D₁₀ :	<2	Particle shape:	Sub-Angular - Sub-Rounded
D₅₀ :	<2	Embeddedness (%):	60-90
D₈₄ :	12.7	Particle range (riffle):	Clay-Silt
		Particle Range (pool):	Clay-Silt

Cumulative Particle Size Distribution



Channel Thresholds			
Flow Competency (m/s):		Tractive Force at Bankfull (N/m²):	28.43
for D₅₀:	n/a	Tractive Force at 2-year flow (N/m²):	Not modelled
for D₈₄:	0.64	Critical Shear Stress (D₅₀) (N/m²):	0.00
Unit Stream Power at Bankfull (W/m²):	26.13		

General Field Observations

Channel Description

Reach H1S3 is a short length of channel that flows northeast towards Willow Valley golf course and discharges into a tributary of Twenty Mile Creek. The channel has evidently been modified, straightened and armoured previously, likely as part of the adjacent sod farm activities. A meandering planform is re-developing within the channel corridor, and outer banks are typically eroded and exposed. Riparian vegetation was comprised of grasses, cattails, and occasional mature trees. Channel substrate ranges from silty clays within pools to medium-sized gravels within riffles. Bank materials consist of silty clays which increase in compaction moving down towards the toe of the bank slope. Flows during the day of assessment were imperceptible.

Cross Section 4 - Facing Upstream

